Attachment for PTO-948 (Rev. 03/01, or earlier) 6/18/01

The below text replaces the pre-printed text under the heading, "Information on How to Effect Drawing Changes," on the back of the PTO-948 (Rev. 03/01, or earlier) form.

INFORMATION ON HOW TO EFFECT DRAWING CHANGES

1. Correction of Informalities -- 37 CFR 1.85

New corrected drawings must be filed with the changes incorporated therein. Identifying indicia, if provided, should include the title of the invention, inventor's name, and application number, or docket number (if any) if an application number has not been assigned to the application. If this information is provided, it must be placed on the front of each sheet and centered within the top margin. If corrected drawings are required in a Notice of Allowability (PTOL-37), the new drawings MUST be filed within the THREE MONTH shortened statutory period set for reply in the Notice of Allowability. Extensions of time may NOT be obtained under the provisions of 37 CFR 1.136(a) or (b) for filing the corrected drawings after the mailing of a Notice of Allowability. The drawings should be filed as a separate paper with a transmittal letter addressed to the Official Draftsperson.

2. Corrections other than Informalities Noted by Draftsperson on form PTO-948.

All changes to the drawings, other than informalities noted by the Draftsperson, MUST be made in the same manner as above except that, normally, a highlighted (preferably red ink) sketch of the changes to be incorporated into the new drawings MUST be approved by the examiner before the application will be allowed. No changes will be permitted to be made, other than correction of informalities, unless the examiner has approved the proposed changes.

Timing of Corrections

Applicant is required to submit the drawing corrections within the time period set in the attached Office communication. See 37 CFR 1.85(a).

Failure to take corrective action within the set period will result in **ABANDONMENT** of the application.

NOTICE OF DRAFTSPERSON'S PATENT DRAWING REVIEW

| The drawing(s) filed (insert date) 11-16-98 are: | |
|--|--------|
| A. approved by the Draftsperson under 37 CFR 1.84 or 1.152. B. objected to by the Draftsperson under 37 CFR 1.84 or 1.152 for the reasons indicated below. The Examiner will require submission of new, corrected drawings when necessary. Corrected drawing must be sumitted according to the instructions on the back of this not | otice. |

| Black ink. Color. Color drawings are not acceptable until petition is granted. Fig(s) Pencil and non black ink not permitted. Fig(s) 1 full-tone set is required. Fig(s) Photographs may not be mounted. 37 CFR 1.84(e) Photographs may not be mounted. 37 CFR 1.84(e) Poor quality (half-tone). Fig(s) 2 PAPER. 37 CFR 1.84(c) Paper not flexible, strong, white, and durable. Fig(s) Paper not flexible, strong, white, and durable. Fig(s) Mylar. velum paper is not acceptable (too thin). Fig(s) 4 SIZE OF PAPER. 37 CFR 1.84(f): Acceptable sizes: 2 1.0 cm by 29, 7 cm (B 1.84); Acceptable sizes: 2 1.0 cm by 29, 7 cm (B 1.84); Acceptable sizes: 3 1.1 drawing sheets not the same size. All drawing sheets not an acceptable size. Fig(s) Drawings sheets not an acceptable size. Sheet(s) Drawings sheets not an acceptable size. Size: A 1.2 x 11 Margins not acceptable. Fig(s) Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: 8 1/2 x 11 Margins not acceptable. Fig(s) Right (R) Bottom (B) 6. VIEWS. 37 CFR 1.84(h) Bottom (B) Fig(s) | | |
|---|--|---|
| Black ink. Color. Color drawings are not acceptable until petiton is granted. Fig(s) Pencia and non black ink not permitted. Fig(s) Pencia and non black ink not permitted. Fig(s) Photographs. 37 CFR 1.84(p) Photographs may not be mounted. 37 CFR 1.84(e) Photographs may not be mounted. 37 CFR 1.84(e) Poor quality (half-lone, Fig(s) Paper not flexible, strong, white, and durable. Fig(s) Erasures, alterations, over-origing, interlineations, folds, copy machine marks not acceptable (too thin). Fig(s) All drawing sheets not not same size. Sheet(s) Drawings sheets not an acceptable sizes: 2.1.0 cm by 29 cm (DIN size A4) 2.1.6 cm by 29 cm (DIN size A4) All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) Shade lines, pale, rough and blurred. Fig(s) Shade lines, pale, rough and blurred. Fig(s) Numbers and reference characters not plain and legible. Fig(s) Fig(s) Instrument of the same size. Sheet(s) Drawings sheets not an acceptable area. Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A4 Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A4 Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A4 Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A1 x 11 Margins and seceptable Fig(s) Fig(| DRAWINGS. 37 CFR 1.84(a): Acceptable categories of drawings: | 8. ARRANGEMENT OF VIEWS, 37 CFR 1.84(i) |
| becomes the right side, except for graphs. Fig(s) Pentior and non black ink not permitted. Fig(s) Photographs. 37 CFR 1.84(b) Photographs may not be mounted. 37 CFR 1.84(c) Poor quality (half-tone). Fig(s) Photographs may not be mounted. 37 CFR 1.84(c) Paper not flexible, strong, white, and durable. Fig(s) Erasures, alterations, overwritings, interlineations, folds, copy machine marks not acceptable (too thin). Fig(s) Erasures, alterations, overwritings, interlineations, folds, copy machine marks not acceptable (too thin). Fig(s) Erasures, alterations, overwritings, interlineations, folds, copy machine marks not acceptable (too thin). Fig(s) Erasures, alterations, overwritings, interlineations, folds, copy machine marks not acceptable (too thin). Fig(s) Erasures, alterations, overwritings, interlineations, folds, copy machine marks not acceptable (too thin). Fig(s) Erasures, alterations, overwritings, interlineations, folds, copy machine marks not acceptable (too thin). Fig(s) Erasures, alterations, overwritings, interlineations, folds, copy machine marks not acceptable (too thin). Fig(s) Erasures, alterations, overwritings, interlineations, folds, copy machine marks not acceptable (too thin). Fig(s) Erasures, alterations, overwritings, interlineations, folds, copy machine marks not acceptable (too thin). Fig(s) Erasures, alterations, overwritings, interlineations, folds, copy machine marks not acceptable (too thin). Fig(s) Drawings sheets not acceptable sizes. Sheet(s) Drawings sheets not an acceptable sizes. Fig(s) Drawings sheets not be as acceptable argins: Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: 81/2x 11 Marginspot acceptable. Fig(s) Fig(| Black ink. Color. | |
| Pencil and non black ink not permitted. Fig(s) Photographs my not be mounted. 37 CFR 1.84(c) Paper not flexible, strong white, and durable. Fig(s) Photographs may not be mounted. 37 CFR 1.84(c) Photographs may not be mounted in the same freather and black (poor line quality). Fig(s) Solid black shading not permitted. Fig(s) Solid black shading not permitted. Fig(s) Solid black shading not permitted. Fig(s) Solid black shading not permitted. Fig(s) Solid black shading not used. 37 CFR 1.84(p)(2) Photographs may require revision to constraint of a photom 1.0 cm SIZE. 84 (2) 1.1 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE. 84 (2) 1.1 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE. 84 (2) 1.1 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE. 84 (2) 1.1 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE. 84 (2) 1.1 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE. 84 (2) 1.1 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE. 84 (2) 1.1 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE. 84 (2) 1.1 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE. 84 (2) 1.1 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE. 84 (2) 1.1 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE. 8 | | |
| 2. PHOTOGRAPHS. 37 CFR 1.84(p) I full-tone set is require. Fig(s) Photographs may not be mounted. 37 CFR 1.84(e) Photographs may not be mounted. 37 CFR 1.84(e) Poper on the sale; storing, white, and durable. Fig(s) Erasures alterations, overwritings, interlineations, folds, copy machine marks not accepted. Fig(s) Mylar, velum paper is not acceptable (too thin). Fig(s) 4. SIZE OF PAPER. 37 CFR 1.84(f): Acceptable sizes: 2.10. cm by 2.7. cm (DIN size A4) 2.16. cm by 2.7. cm (DIN size A4) 2.16. cm by 2.7. cm (Bi 1/2 x 11 inches) All drawing sheets not the same size. Shect(s) Drawings sheets not an acceptable size. Fig(s) Margins not acceptable. Fig(s) Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A4 Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: 34 Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: 31 (2x 11) Margins not acceptable. Fig(s) Views not labeled separately or properly. Fig(s) Views not labeled separately or properly. Fig(s) Views not labeled separately or properly. Fig(s) Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Fig(s) Scide not large enough to show mechanism without ctrowding when drawing is reduced in size to two-thirds in reproduction. Fig(s) 10. CHARACTER OF LINES, NUMBERS, & LETTERS. 37 CFR 1.84(n) Land large and properties and elements and legible. Fig(s) Solid black areas pale. Fig(s) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(1) Fig(s) English alphabet not used. 37 CFR 1.84(p)(2) Fig(s) Fig(s) Numbers. Jetters not uniformly thick and well defined. Clean, durable, and black (poor line quality). Fig(s) Lead lines missing. Fig(s) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Numbers and reference characters must be at least | | |
| I full-tone set is required. Fig(s) Photographs may not be mounted. 37 CFR 1.84(e) Photographs may not be mounted. 37 CFR 1.84(e) Proor quality (half-tone). Fig(s) TYPE OF PAPER. 37 CFR 1.84(e) Paper not flexible, strong, white, and durable. Fig(s) Fig(s) Glds, copy machine marks not accepted. Fig(s) Mylar, velum paper is not acceptable for the property. Fig(s) 4. SIZE OF PAPER. 37 CFR 1.84(f): Acceptable sizes: 21.0 cm by 29, cm (DIN size A4) 21.6 cm by 29, cm (DIN size A4) 22.6 cm Right 1.5 cm Bottom 1.0 cm size A4 23.7 cFR 1.84(p) 24. SEZE: A 12x at times A4 25. cm (Right) and black (poor line quality). Fig(s) 25. middle lines, numbers A letters not uniformly thick and well defined, clean, durable, and black (poor line quality). Fig(s) 25. middle lines, paper. Fig(s) 26. Numbers and reference characters not oriented | | |
| photographs may not be mounted. 37 CFR 1.84(e) Poor quality (half-tone), Fig(s) 3. TYPE OF PAPER. 37 CFR 1.84(e) Paper not flexible, strong, white, and durable. Fig(s) Erasures, alterations, overwritings, intertineations, folds, copy machine marks not accepted. Fig(s) Mylar, volum paper is not acceptable (too thin). Fig(s) 4. SIZE OF PAPER. 37 CFR 1.84(f). Acceptable sizes: 21.0. cm by 29.7 cm (10) xize A4) 21.6 cm by 29.7 cm (10) xize A4) 21.6 cm by 29.7 cm (10) xize A4) 21.6 cm by 27.9 cm (8 1/2 x 1 i inches) All drawings sheets not an acceptable size. Fig(s) Shedel ines, pale, road and blurred. Fig(s) 5. MARGINS. 37 CFR 1.84(g). Acceptable margins: Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: 8 1/2 x 1 I Margins not acceptable. Fig(s) Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: 8 1/2 x 1 I Margins not acceptable. Fig(s) Left (L) Right (R) Bottom (B) 6. VIEWS. 37 CFR 1.84(h)(2) Brackets needed to show figure as one entity. Fig(s) Brackets needed to show figure as one entity. Fig(s) Enlarged view not labeled separately or properly. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) 10. CHARACTER OF LINES, NUMBERS, & LETTERS. 37 CFR 1.84(m) Lines, numbers & letters not uniformly thick and well defined, clean, durable, and black (poor line quality). Fig(s) 11. SHADING. 37 CFR 1.84(m) Solid black areas pale. Fig(s) Solid black shading not permitted. Fig(s) Solid black areas pale. Fig(s) Solid | | |
| Type OF PAPER. 37 CFR 1.84(e) Paper not flexible, strong, white, and durable. Fig(s) Erasures, alterations, overwritings, interlineations, folds, copy machine marks not accepted. Fig(s) Mylar, volum paper is not accepted to thin). Fig(s) SIZE OF PAPER. 37 CFR 1.84(f): Acceptable sizes: 21.0 cm by 29.7 cm (DIN size A4) 21.6 cm by 27.9 cm (B I/2 x I I inches) Shade lines, pale, rough and blurred. Fig(s) Numbers and reference characters not plain and legible. Fig(s) Numbers and reference characters not plain and legible. Fig(s) Numbers and reference characters must be at least 3.2 cm (I/8 inch) in height. 37 CFR 1.84(p)(1) Fig(s) Sig(s) S | | |
| 3. TYPE OF PAPER. 37 CFR 1.84(c) Paper not flexible, strong, white, and durable. Fig(s) Erasures, alterations, overwritings, interlineations, folds, copy machine marks not accepted. Fig(s) Mylar, velum paper is not acceptable (too thin). Fig(s) 4. SIZE OF PAPER. 37 CFR 1.84(f): Acceptable sizes: 2.1.0 cm by 2.7 cm (DIN size A4) 2.1.6 cm by 2.7.9 cm (8 1/2 x 11 inches) All drawing sheets not the same size. Shee(s) Drawings sheets not an acceptable size. Fig(s) 5. MARGINS. 37 CFR 1.84(g): Acceptable margins: Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: 81/2 x 11 Margin, sol acceptable. Fig(s) Top (T) Right (R) Bottom (B) 6. VIEWS. 37 CFR 1.84(h) 6. VIEWS. 37 CFR 1.84(h) 8. Bottom (B) 6. VIEWS. 37 CFR 1.84(h)(2) Brackets needed to show figure as one entity. Fig(s) Enlarged view not labeled separately or properly. Fig(s) Fig(s) Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Paper not flexible, strong, white, and durable. 10. CHARACTER OF LINES, NUMBERS, & LETTERS. 37 CFR 1.84(m) Lines, numbers & letters not uniformly thick and well defined, clean, durable, and black (poor line quality). Fig(s) Solid black snaading not permitted. Fig(s) Solid black snaading not permitted. Fig(s) Solid black snaading not permitted. Fig(s) Numbers and reference characters not plain and legible. Fig(s) Numbers and reference characters not plain and legible. Fig(s) Numbers and reference characters not oriented in the same directions are reference characters must be at least 3.2 cm (1/8 inch) in height. 37 CFR 1.84(p)(2) Figs Numbers. letters and reference characters must be at least 3.2 cm (1/8 inch) in height. 37 CFR 1.84(p)(3) Fig(s) 13. LEAD LINES. 37 CFR 1.84(p)(3) Fig(s) 14. NUMBERING OF VIEETS OF DRAWINGS. 37 CFR 1.84(q) Views not unberted consecutively, and in Arabic numerals beginning with number 1. Fig(s) 15. NUMBERING OF VIEETS OF DRAWINGS. 37 CFR 1.84(q) Views not unberted consecutively, | | |
| Paper not flexible, strong, white, and durable. Fig(s) Crassures, alterations, overwritings, intertineations, folds, copy machine marks not acceptable (Fig(s)) Mylar, velum paper is not acceptable (too thin). Fig(s) 4. SIZE OF PAPER. 37 CFR 1.84(f): Acceptable sizes: 21.0 cm by 27.9 cm (DIN size A4) 21.6 cm by 27.9 cm (DIN size A4) 21.6 cm by 27.9 cm (DIN size A4) 21.6 cm by 27.9 cm (B 1/2 x 11 inches) All drawing sheets not an acceptable size. Shee(s) Drawings sheets not an acceptable size. Fig(s) SMARGINS. 37 CFR 1.84(g): Acceptable margins: Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: 8 1/2 x 11 Margins and acceptable. Fig(s) Top (T) Right (R) Bottom (B) 6. VIEWS. 37 CFR 1.84(h) Fig(s) Enlarged view not labeled separately or properly. Fig(s) Enlarged view not labeled separately or properly. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Size (Size) All drawing sheets not an acceptable size. 21.0 cm by 27.9 cm (B 1/2 x 11 inches) Solid black shares pale. Fig(s) Solid black shares pale, rough and blurred. Fig(s) Solid black shares pale, rough and blurred. Fig(s) Solid black shares pale, rough and blurred. Fig(s) Numbers and reference characters not plain and legible. Fig(s) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(1) Fig(s) English alphabet not used. 37 CFR 1.84(p)(2) Fig(s) Numbers and reference characters must be at least 3.3 cm (1/8 inch) in height. 37 CFR 1.84(p)(2) Fig(s) Numbers and reference characters must be at least 3.3 cm (1/8 inch) in height. 37 CFR 1.84(p)(3) Fig(s) 13. LEAD LINES. 37 CFR 1.84(p)(3) Fig(s) 14. NUMBERING OF VIEUTS. 37 CFR 1.84(u) Solid black shares pale. Solid black shares pale. Fig(s) 15. Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(1) Fig(s) 16. VIEWS. 37 CFR 1.84(p)(3) Fig(s) 18. LEAD LINES. Solid blac | | |
| Fig(s) Erasures, alterations, overwritings, interlineations, folds, copy machine marks not accepted. Fig(s) Mylar, velum paper is not acceptable (too thin). Fig(s) \$1.5LEO F RAPER. 37 CFR 1.84(f): Acceptable sizes: 21.0 cm by 29.7 cm (DIN size A4) 21.6 cm by 29.7 cm (DIN size A4) 21.6 cm by 29.7 cm (B1 size A4) 21.6 cm by 27.9 cm (8 1/2 x 11 inches) All drawing sheets not the same size. Sheet(s) Sheet(s) Drawings sheets not an acceptable margins: Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: 84 Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: 81 Zx 11 Margins and acceptable. Fig(s) Views 37 CFR 1.84(h) REMINDER's Specification may require revision to correspond to drawing changes. Partial views, 37 CFR 1.84(h)(2) Brackets needed to show figure as one entity. Fig(s) Views not labeled separately or properly. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Lines, numbers & letters not uniformly thick and well defined, clean, durable, and black (poor line quality). Fig(s) Solid black snaetagin propertited. Fig(s) Solid black shading not permitted. Fig(s) Solid black shading not permitted. Fig(s) Solid black shading not uniformited. Fig(s) Solid black shading not permitted. Fig(s) Solid black shading not uniformited. Fig(s) Solid black shading not permitted. Fig(s) Solid black shading not permited. Fig(s) Solid black shading not | | |
| folds, copy machine marks not acceptable (too thin). Fig(s) Mylar, velum paper is not acceptable (too thin). Fig(s) SIZE OF PAPER. 37 CFR 1.84(f): Acceptable sizes: 2.1.0 cm by 27.7 cm (DIN size A4) 2.1.6 cm by 27.9 cm (8 1/2 x 11 inches) All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) S. MARGINS. 37 CFR 1.84(g): Acceptable margins: Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A4 Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A4 Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: B 1/2 x 11 Margins not acceptable. Fig(s) Top (T) Left (L) Right (R) Bottom (B) REMINDER: Specification may require revision to correspond to drawing changes. Partial views. 37 CFR 1.84(h)(2) Brackets needed to show figure as one entity. Fig(s) Views not labeled separately or properly. Fig(s) Enlarged view not labeled separately or properly. Fig(s) Hatching not indicated for sectional portions of an object. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Solid black shading not used shading not used therefore Characters pot oriented in the sand arcetracters and reference characters not plain and legible. Fig(s) Numbers and reference characters not oriented in the same direction of the same size. Fig(s) Solid black shading not prefited. Fig(s) Solid black shading not used. Fig(s) Solid black shading not prefited. Fig(s) Solid black shading not used. Fig(s) Solid black shading not used. Fig(s) Solid black shading not used. Fig(s) Solid black shading not used. Fig(s) Solid black shading not used. Fig(s) Solid black shading not used. Fig(s) Solid black shading not used. Fig(s) Solid black shading not used. Fig(s) Solid black shading not used. Fig(s) Solid black shading not used. Fig(s) Solid black shading n | Fig(s) | |
| Mylar, volum paper is not acceptable (too thin). Fig(s) 4. SIZE OF PAPER. 37 CFR 1.84(f): Acceptable sizes: 21.0 cm by 29.7 cm (DIN size A4) 21.0 cm by 29.7 cm (B1 IZ x 11 inches) All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) 5. MARGINS. 37 CFR 1.84(g): Acceptable margins: Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: 8 1/2 x 11 Margins not acceptable. Fig(s) Top (1) Right (R) REMINDER: Specification may require revision to correspond to drawing changes. Partial views. 37 CFR 1.84(h)(2) Brackets needed to show figure as one entity. Fig(s) Enlarged view not labeled separately or properly. Fig(s) Enlarged view not labeled separately or properly. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Solid btack sraea pale. Fig(s) Solid btack shading not permitted. Fig(s) Shade lines, pale, rough and blurred. Fig(s) Numbers and reference characters not pale in the same direction as the view. 37 CFR 1.84(p) Numbers and reference characters not plain the least 3.2 rough and reference characters not pla | | defined, clean, durable, and black (poor line quality). |
| Solid black areas pale. Fig(s) | | |
| 4. SIZE OF PAPER. 37 CFR 1.84(f): Acceptable sizes: 21.0 cm by 29.7 cm (DIN size A4) 21.6 cm by 27.9 cm (8 1/2 x 11 inches) All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) 5. MARGINS. 37 CFR 1.84(g): Acceptable margins: Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: 81/2 x 11 Margins pot acceptable: Fig(s) Top (T) Right (R) 8. Will be stand and reference characters not plain and legible. Fig(s) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(1) Fig(s) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(1) Fig(s) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Numbers and reference characters must be at least 32 cm (1/8 inch) in height. 37 CFR 1.84(p)(3) Fig(s) Numbers letters and reference characters must be at least 32 cm (1/8 inch) in height. 37 CFR 1.84(p)(3) Fig(s) Numbers letters and reference characters must be at least 32 cm (1/8 inch) in height. 37 CFR 1.84(p)(3) Fig(s) Numbers letters and reference characters must be at least 32 cm (1/8 inch) in height. 37 CFR 1.84(p)(3) Fig(s) Numbers letters and reference characters must be at least 32 cm (1/8 inch) in height. 37 CFR 1.84(p)(3) Fig(s) Numbers letters and reference characters must be at least 32 cm (1/8 inch) in height. 37 CFR 1.84(p)(3) Fig(s) Numbers letters and reference characters must be at least 32 cm (1/8 inch) in height. 37 CFR 1.84(p)(3) Fig(s) Section of drawing changes. Partial views. 37 CFR 1.84(h)(2) Brackets needed to show figure as one entity. Fig(s) Views not labeled separately or properly. Fig(s) Enlarged view not labeled separately or properly. Fig(s) Enlarged view not labeled separately or properly. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Solid black shading not push an | | |
| 21.0 cm by 29.7 cm (DIN size A4) 21.6 cm by 27.9 cm (8 1/2 x 11 inches) All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) 5. MARGINS. 37 CFR 1.84(g): Acceptable margins: Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A4 Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A5 Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A5 Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: B12 x 11 Margins not acceptable. Fig(s) Top (T) Right (R) Bottom (B) 6. VIEWS. 37 CFR 1.84(h) Brackets needed to show figure as one entity. Fig(s) Brackets needed to show figure as one entity. Fig(s) Enlarged view not labeled separately or properly. Fig(s) Enlarged view not labeled separately or properly. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) 21. NUMBERS, LETTERS, & REFERENCE CHARACTERS. 31 CFR 1.84(p) Numbers and reference characters not plain and legible. Fig(s) English alphabet not used. 37 CFR 1.84(p)(1) Fig(s) English alphabet not used. 37 CFR 1.84(p)(2) Fig(s) Numbers and reference characters must be at least 3.2 cm (1/8 inch) in height. 37 CFR 1.84(p)(3) Fig(s) Lead lines cross each other. Fig(s) Lead lines cross each other. Fig(s) NumBERING OF SHEETS OF DRAWINGS. 37 CFR 1.84(u) Views not numbered consecutively, and in Arabic numerals, beginning with number 1. Fig(s) 15. NUMBERING OF SHEETS OF DRAWINGS. 37 CFR 1.84(u) Views not numbered consecutively, and in Arabic numerals, beginning with number 1. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) | | |
| 21.6 cm by 27.9 cm (8 1/2 x 11 inches) All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) 5. MARGINS. 37 CFR 1.84(g): Acceptable margins: Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A4 Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: 8 1/2 x 11 Margins not acceptable. Fig(s) Top (T) Right (R) Bottom (B) 6. VIEWS. 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes. Partial views. 37 CFR 1.84(h) Brackets needed to show figure as one entity. Fig(s) Enlarged view not labeled separately or properly. Fig(s) Enlarged view not labeled separately or properly. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) 21. NUMBERS, LETTERS, & REFERENCE CHARACTERS. 33 CFR 1.84(p) Fig(s) SIZE: 8 1/2 x 11 Fig(s) SIZE: 8 1/2 x 11 Fig(s) SIZE: 44 Size Size Right 1.5 cm Bottom 1.0 cm SIZE: 8 1/2 x 11 Fig(s) Size | | <u> </u> |
| All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) 5. MARGINS. 37 CFR 1.84(g): Acceptable margins: Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A4 Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: 8 1/2 x 11 Margins not acceptable. Fig(s) Top (T) Right (R) O VIEWS. 37 CFR 1.84(h) Bottom (B) REMINDER: Specification may require revision to correspond to drawing changes. Partial views. 37 CFR 1.84(h)(2) Brackets needed to show figure as one entity. Fig(s) Drawing view not labeled separately or properly. Fig(s) Enlarged view not labeled separately or properly. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: 8 1/2 x 11 Numbers and reference characters not plain and legible. Fig(s) English alphabet not used. 37 CFR 1.84(p)(1) Fig(s) Left (U) Size: 8 1/2 x 11 Numbers, letters and reference characters must be at least .32 cm (1/8 inch) in height. 37 CFR 1.84(p)(3) Fig(s) Lead lines cross each other. Fig(s) Lead lines cross each other. Fig(s) Lead lines cross each other. Fig(s) Selection as the view. 37 CFR 1.84(p)(3) Fig(s) Numbers, letters and reference characters mot plain and legible. Fig(s) Lead lines are view as the view. 37 CFR 1.84(p)(1) Fig(s) Lead lines cross each other. Fig(s) Selection as the view. 37 CFR 1.84(p)(3) Fig(s) Numbers, letters and reference characters mot plain and legible. Fig(s) Lead lines cross each other. Fig(s) Selection as the view. 37 CFR 1.84(p)(1) Fig(s) Numbers, letters and reference characters mot plain and legible. Fig(s) Lead lines cross each other. Fig(s) Selection as the view. 37 CFR 1.84(p)(1) Fig(s) Numbers, letters and reference characters mot plain and legible. Fig(s) Numbers, letters and reference characters mot plain and legible. Fig(s) Lead lines cross each other. Fig(s) Numbers, letters and reference characters must b | | |
| Sheet(s) Drawings sheets not an acceptable size. Fig(s) 5. MARGINS. 37 CFR 1.84(g): Acceptable margins: Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: 84 Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: 81/2 x 11 Margins not acceptable. Fig(s) Top (T) Right (R) Right (R) Bottom (B) 6. VIEWS. 37 CFR 1.84(h)(2) Brackets needed to show figure as one entity. Fig(s) Parial views. 37 CFR 1.84(h)(2) Brackets needed to show figure as one entity. Fig(s) Enlarged view not labeled separately or properly. Fig(s) Enlarged view not labeled separately or properly. Fig(s) SECTIONAL VIEWS. 37 CFR 1.84 (h)(3) Hatching not indicated for sectional portions of an object. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Sheets not number of consecutively, and in Arabic numerals, beginning with number 1. Sheet(s) Surface shading shown not appropriate. Fig(s) Solid black shading not used for color contrast. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) | | |
| Drawings sheets not an acceptable size. Fig(s) 5. MARGINS. 37 CFR 1.84(g): Acceptable margins: Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A4 Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: 8 1/2 x 11 Margins not acceptable. Fig(s) Top (T) Right (R) Bottom (B) 6. VIEWS. 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes. Partial views. 37 CFR 1.84(h)(2) Brackets needed to show figure as one entity. Fig(s) Views not labeled separately or properly. Fig(s) Enlarged view not labeled separately or properly. Fig(s) SECTIONAL VIEWS. 37 CFR 1.84 (h)(3) Hatching not indicated for sectional portions of an object. Roman numbers. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Top (T) Fig(s) SIZE: 8 1/2 x 11 Figure legends are poor. Fig(s) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(1) Fig(s) Lead lines in sisting. Fig(s) Lead lines missing. Fig(s) Section of brawing changes. Numbers. At reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Lead lines missing. F | | |
| Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(1) | | Fig(s) |
| Same direction as the view. 37 CFR 1.84(p)(1) SIZE: A4 Size Top 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: 8 1/2 x 11 Margins not acceptable. Fig(s) Top (T) Right (R) Bottom (B) 6. VIEWS. 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes. Partial views. 37 CFR 1.84(h)(2) Brackets needed to show figure as one entity. Fig(s) Enlarged view not labeled separately or properly. Fig(s) Enlarged view not labeled separately or properly. Fig(s) Hatching not indicated for sectional portions of an object. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Same direction as the view. 37 CFR 1.84(p)(1) Fig(s) English alphabet not used. 37 CFR 1.84(p)(2) English alphabet not used. 37 CFR 1.84(p)(2) Figs Numbers. letters and reference characters must be at least 32 cm (1/8 inch) in height. 37 CFR 1.84(p)(3) Fig(s) Lead lines cross each other. Fig(s) Lead lines cross each other. Fig(s) Sheets not numbered consecutively, and in Arabic numerals beginning with number 1. Sheet(s) Views not numbered consecutively, and in Arabic numerals, beginning with number 1. Fig(s) Corrections not made from prior PTO-948 dated 17. DESIGN DRAWINGS. 37 CFR 1.152 Surface shading shown not appropriate. Fig(s) Solid black shading not used for color contrast. Fig(s) Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) | 5. MARGINS. 37 CFR 1.84(g): Acceptable margins: | |
| SIZE: A4 Size Top 2.5'cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: 8 1/2 x 11 Margins not acceptable. Fig(s) Right (R) Right (R) REMINDER: Specification may require revision to correspond to drawing changes. Partial views. 37 CFR 1.84(h)(2) Brackets needed to show figure as one entity. Fig(s) Enlarged view not labeled separately or properly. Fig(s) Enlarged view not labeled separately or properly. Fig(s) Enlarged view not labeled separately or properly. Fig(s) SECTIONAL VIEWS. 37 CFR 1.84 (h)(3) Hatching not indicated for sectional portions of an object. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) SIZE: 84 1/2 x 11 English alphabet not used. 37 CFR 1.84(p)(2) English alphabet not used. 37 CFR 1.84(p)(3) Fig(s) Numbers, letters and reference characters must be at least 3.2 cm (1/8 inch) in height. 37 CFR 1.84(p)(3) Fig(s) 13. LEAD LINES. 37 CFR 1.84(q) Lead lines cross each other. Fig(s) Lead lines missing. Fig(s) Sheets not numbered consecutively, and in Arabic numerals beginning with number 1. Sheet(s) Views not numbered consecutively, and in Arabic numerals, beginning with number 1. Fig(s) Corrections not made from prior PTO-948 dated 17. DESIGN DRAWINGS. 37 CFR 1.152 Surface shading shown not appropriate. Fig(s) Solid black shading not used for color contrast. Fig(s) Fig(s) Solid black shading not used for color contrast. | | |
| Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: 8 1/2 x 11 Margins not acceptable. Fig(s) | | 477 |
| SIZE: 8 1/2 x 11 Margins not acceptable. Fig(s) Top (T) Right (R) Bottom (B) 6. VIEWS. 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes. Partial views. 37 CFR 1.84(h)(2) Brackets needed to show figure as one entity. Fig(s) Views not labeled separately or properly. Fig(s) Enlarged view not labeled separately or properly. Fig(s) Hatching not indicated for sectional portions of an object. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) I view in the section of the section in the | | |
| Margins not acceptable. Fig(s) 1 12 12 12 12 13 14 15 15 15 15 16 16 17 15 15 16 18 16 18 16 18 18 18 18 18 18 18 18 18 18 18 18 18 | | |
| Top (T) | | |
| Right (R) Bottom (B) 6. VIEWS. 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes. Partial views. 37 CFR 1.84(h)(2) Brackets needed to show figure as one entity. Fig(s) Views not labeled separately or properly. Fig(s) Enlarged view not labeled separately or properly. Fig(s) Hatching not indicated for sectional portions of an object. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) BISAD LINES. 37 CFR 1.84(q) Lead lines missing. Fig(s) Sheets not numbered consecutively, and in Arabic numerals beginning with number 1. Sheet(s) Views not numbered consecutively, and in Arabic numerals, beginning with number 1. Fig(s) Corrections. 37 CFR 1.84(u) Corrections. 37 CFR 1.84(w) Corrections not made from prior PTO-948 dated 17. DESIGN DRAWINGS. 37 CFR 1.152 Surface shading shown not appropriate. Fig(s) Solid black shading not used for color contrast. | | |
| 6. VIEWS. 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes. Partial views. 37 CFR 1.84(h)(2) Brackets needed to show figure as one entity. Fig(s) Views not labeled separately or properly. Fig(s) Enlarged view not labeled separately or properly. Fig(s) Hatching not indicated for sectional portions of an object. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) READ LINES. 37 CFR 1.84(q) Lead lines cross each other. Fig(s) Lead lines cross each other. Pig(s) Lead lines cross each other. Pig(s) Lead lines missing. Fig(s) Lead lines missing. Pig(s) Lead lines missing. Pig | | |
| correspond to drawing changes. Partial views. 37 CFR 1.84(h)(2) Brackets needed to show figure as one entity. Fig(s) Views not labeled separately or properly. Fig(s) Enlarged view not number of consecutively, and in Arabic numerals beginning with number 1. Sheet(s) Enlarged view not number of consecutively, and in Arabic numerals beginning with number 1. Sheet(s) Enlarged view not number of consecutively. Corrections not number of consecutively. Enlarged view not number of consecutively. Enlarged view not number of consecutively. Sheets not number of consecutively. Sheets not number of consecutively. Sheets n | 6. VIEWS. 37 CFR 1.84(h) | |
| Partial views. 37 CFR 1.84(h)(2) Brackets needed to show figure as one entity. Fig(s) Views not labeled separately or properly. Fig(s) Enlarged view not labeled separately or properly. Fig(s) Corrections not made from prior PTO-948 dated atacd 17. DESIGN DRAWINGS. 37 CFR 1.152 Surface shading shown not appropriate. Fig(s) Solid black shading not used for color contrast. Fig(s) Fig(s) Fig(s) Fig(s) Fig(s) | | |
| Brackets needed to show figure as one entity. Fig(s) Views not labeled separately or properly. Fig(s) Enlarged view not labeled separately or properly. Fig(s) Desginning with number 1. Fig(s) Enlarged view not labeled separately or properly. Descriptions not made from prior PTO-948 dated dated To ESIGN DRAWINGS. 37 CFR 1.152 Surface shading shown not appropriate. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Fig(s) Fig(s) Fig(s) Fig(s) | | |
| Fig(s) beginning with number 1. Sheet(s) Views not labeled separately or properly. Fig(s) Views not labeled separately or properly. Enlarged view not labeled separetely or properly. Fig(s) Views not number oconsecutively, and in Arabic numerals, beginning with number 1. Fig(s) Fig(s) 16. CORRECTIONS. 37 CFR 1.84(w) Corrections not made from prior PTO-948 dated 4ded 17. DESIGN DRAWINGS. 37 CFR 1.152 Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Solid black shading not used for color contrast. Fig(s) Fig(s) Fig(s) Fig(s) | | |
| Views not labeled separately or properly. Fig(s) Enlarged view not labeled separetely or properly. Fig(s) Enlarged view not labeled separetely or properly. Fig(s) Fig(s) 16. CORRECTIONS. 37 CFR 1.84(w) Corrections not made from prior PTO-948 dated Hatching not indicated for sectional portions of an object. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Sectional designation should be noted with Arabic or Fig(s) Fig(s) Sectional designation should be noted with Arabic or Fig(s) Fig(s) Sectional designation should be noted with Arabic or Fig(s) Solid black shading not used for color contrast. Fig(s) | | |
| Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Self-arged view not labeled separetely or properly. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Self-arged view not labeled separetely or properly. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Self-arged view not labeled separetely or properly. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Solid black shading not used for color contrast. Fig(s) Solid black shading not used for color contrast. | | |
| Enlarged view not labeled separetely or properly. Fig(s) | | |
| Fig(s) 16. CORRECTIONS. 37 CFR 1.84(w) Corrections not made from prior PTO-948 dated 4 dated 4 dated 4 dated 5 dated 4 dated 5 dated 4 dated 5 dated 6 dated 6 dated | | |
| 7. SECTIONAL VIEWS. 37 CFR 1.84 (h)(3) Hatching not indicated for sectional portions of an object. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Sectional designation should be noted with Arabic or Fig(s) Fig(s) Fig(s) Fig(s) Fig(s) Fig(s) Fig(s) | | |
| Hatching not indicated for sectional portions of an object. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Fig(s) Sectional designation should be noted with Arabic or Fig(s) Fig(s) Fig(s) Fig(s) Fig(s) | | Corrections not made from prior PTO-948 |
| Fig(s) Surface shading shown not appropriate. Fig(s) Sectional designation should be noted with Arabic or Solid black shading not used for color contrast. Roman numbers. Fig(s) Fig(s) | 7. SECTIONAL VIEWS. 37 CFR 1.84 (h)(3) | |
| Sectional designation should be noted with Arabic or Solid black shading not used for color contrast. Roman numbers. Fig(s) Fig(s) Fig(s) | | |
| Roman numbers. Fig(s) Fig(s) | | |
| | | |
| COMMENTS | Roman numbers. Fig(s) | rig(s) |
| COMMENTS | | |
| COMMENTS | | |
| Commento | COMMENTS | |
| | Commento | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |

| REVIEWER | ·CHASF | DATE 12-2-02 | TELEPHONE NO. 703 | 30584W |
|------------------|-------------|--|-------------------|--------|
| ATTACHMENT TO P. | APER NO. 28 | <u>, </u> | | |

REMINDER

124,76

Drawing changes may also require changes in the specification, e.g., if Fig. 1 is changed to Fig 1A, Fig. 1B, Fig. 1C, etc., the specification, at the Brief Description of the Drawing, must likewise be changed. Please make such changes by 37 CFR 1.312 Amendment at the time of submitting drawings.

INFORMATION ON HOW TO EFFECT DRAWING CHANGES

1. Correction of Drawings - 37 CFR 1.85

La traction of the State of

The state of the s

A Dear Telescope of the material of the Community of the

countries influencing to the content of

n 201890 1

File new drawings with the changes incorporated therein. Identifying indicia, if provided, should ificude the title of the invention, inventor's name, and application number, or docket number (if any) if an application number has not been assigned to the application. If this information is provided, it must be placed on the front of each sheet and centered within the for margin. The drawing should be filed as a separate paper with a transmittal letter addressed to the Drawing Reveiw Branch.

2. Timing for Corrections

Applicant is required to submit acceptable corrected drawings within the three-month shortened statutory period set in the Notice of Allowability (PTOL-37).

Failure to take corrective action within set period will result in ABANDONMENT of the Application.

3. Corrections other than Defects Noted by the Drawing Review Branch on the Form PTO-948

All changes to the drawings, other than defects noted by the Drawing Review Branch, MUST be approved by the examiner before the application will be allowed. No changes will be permitted other than correction of defects, unless the examiner has approved the proposed changes.

| | | ** | | ' | |
|--|---|---------------------------------|--|--|--|
| | | | | | • |
| mark 1986, gaugest that when a property and other gasts and the party an | | to a little sale administration | a service of a residence of transferring | CONTRACTOR CONTRACTOR AND SET TRACTOR SECURITY | |
| | | | | | F1. I(M)(0.) |
| | | | | | |
| | | | | | |
| | , | | | | |
| | | | | | |
| mar entire description de la company de la c | | | | THE STATE SHARE AND THE STATE OF THE STATE O | topic and the second se |
| | | | | | |
| | | | | | |

REVIEWER J. C. R. ASS. DAJE 12-2-02 TELEPHONE NO. 703505. 6936